





Block Boundary



Garage Location



Boundary Defined by SDHDC



Blocks 500sqm < 550sqm subject to mid size block provisions by Planning Controls Plan



Min 1.8m clear Sewer Maintenance Access Route Required Refer Block Details Plan and ICON building requirements

INDICATIVE BUILDING FOOTPRINTS

(based on min. building setbacks. This does not take into account building envelopes)



Lower Floor Level



Upper Floor Level

MINIMUM BOUNDARY SETBACKS

Single Dwelling Housing Development Code (SDHDC) front setbacks: refer to Rule11: Table 3C for mid blocks

side and rear setbacks: refer to Rule 12: Table 6B for mid blocks



1.5m or nil setback to a max length of 13m refer to SDHDC Rule 15, Table 6B



Articulation Elements (Articulation Zone) refer to SDHDC Rule 11: Table 3C for mid blocks

111111111111111

Upper Floor Level - Side and Rear Boundary - Screened Upper Floor Level - Side and Rear Boundary Unscreened

BLOCK INFORMATION

| STAGE |
|----------------|
| ZONE |
| SECTION |
| BLOCK |
| CLASSIFICATION |
| HOUSING TYPE |


LARGE BLOCK SINGLE DWELLING REV DRAWN CHECKED APPROVED JS

CS


AK

DATE 31/08/20

DO NOT SCALE OFF DRAWINGS. DIMENSIONS ARE IN METRES INFORMATION ON THIS PLAN IS TO BE USED AS A GUIDE ONLY INFORMATION ON THIS PLAN IS TO BE USED AS A GUIDE ONLY FOR THE DESIGN PROCESS. APPROVED EDP PLANNING CONTROLS NEED TO BE CHECKED AGAINST PRECINCT CODE UPLIFTS. PLANS TO BE READ IN CONJUNCTION WITH THE TERRITORY PLAN ALONG WITH BLOCK DISCLOSURE PLANS AND THE GINNINDERRY DESIGN REQUIREMENTS TO CONFIRM ALL CURRENT CONTROLS PERTAINING TO YOUR BLOCK.











Garage Location

PRIVATE OPEN SPACE (POS)

refer to SDHDC: R39 for mid size blocks

PRINCIPLE PRIVATE OPEN SPACE (PPOS)

refer to SDHDC R41 and Table 8

Services

Refer to Block Disclosure Plan for location of service access to this block. Proposed Fencing and Courtyard Walls to integrate service ties and meters.

DATE

Maximum height 1.8m | Minimum setback 0m (100%) | Not forward of building line refer to EPSDD: Fences and Freestanding Walls Factsheet 2014

Construction and Finish

Inter-allotment fencing to be max 1.8m high timber paling fencing or lapped and capped timber paling fencing.

If Colorbond is used, the profile must be Neetascreen or a mini orb profile colour "Basalt". refer to Ginninderry Design Requirements

Return Boundary Fencing to Building Line or Side Fence

BI OCK INFORMATION

| BLUCK INFURIVIATIO | | |
|--------------------|-----------------|--|
| STAGE | 2A3 | |
| ZONE | RZ 1 | |
| SECTION | 55 | |
| BLOCK | 12 | |
| CLASSIFICATION | LARGE BLOCK | |
| HOUSING TYPE | SINGLE DWELLING | |

REV DRAWN CHECKED APPROVED JS AK CS

DO NOT SCALE OFF DRAWINGS. DIMENSIONS ARE IN METRES INFORMATION ON THIS PLAN IS TO BE USED AS A GUIDE ONLY INFORMATION ON THIS PLAN IS TO BE USED AS A GUIDE ONLY FOR THE DESIGN PROCESS. APPROVED EDP PLANNING CONTROLS NEED TO BE CHECKED AGAINST PRECINCT CODE UPLIFTS. PLANS TO BE READ IN CONJUNCTION WITH THE TERRITORY PLAN ALONG WITH BLOCK DISCLOSURE PLANS AND THE GINNINDERRY DESIGN REQUIREMENTS TO CONFIRM ALL CURRENT CONTROLS PERTAINING TO YOUR BLOCK.

