






Block Boundary



Boundary Defined by SDHDC

Blocks 500sqm < 550sqm subject to mid size block provisions by Planning Controls Plan



Easement

Min 1.8m clear Sewer Maintenance Access Route Required Refer Block Details Plan and ICON building requirements

INDICATIVE BUILDING FOOTPRINTS

(based on min. building setbacks. This does not take into account building envelopes)



Lower Floor Level **Upper Floor Level**

Single Dwelling Housing Development Code (SDHDC) front setbacks: refer to Rule11:

Table 3C for mid blocks side and rear setbacks: refer to Rule 12:

Table 6B for mid blocks

Strathnairn Stage 2 EDP refer to the Planning Controls Plan

Articulation Elements (Articulation Zone) refer to Planning Controls Plan

1.5m or nil setback to a max length of 13m refer to SDHDC Rule 15, Table 6B

..... Upper Floor Level - Side and Rear Boundary - Screened Upper Floor Level - Side and Rear Boundary Unscreened


BLOCK INFORMATION

DECONTIN	OT HVI
STAGE	2A3
ZONE	RZ1
SECTION	55
BLOCK	2
CLASSIFICATION	LARGE B
HOLIGING TYPE	CINICLE


NGLE DWELLING

AK AK CS
AK AK CS

DO NOT SCALE OFF DRAWINGS. DIMENSIONS ARE IN METRES. INFORMATION ON THIS PLAN IS TO BE USED AS A GUIDE ONLY INFORMATION ON THIS PLAN IS TO BE USED AS A GUIDE ONLY. FOR THE DESIGN PROCESS. APPROVED EDP PLANNING CONTROLS NEED TO BE CHECKED AGAINST PRECINCT CODE UPLIETS. PLANS TO BE READ IN CONJUNCTION WITH THE TERRITORY PLAN ALONG WITH BLOCK DISCLOSURE PLANS AND THE GINNINDERRY DESIGN REQUIREMENTS TO CONFIRM ALL CURRENT CONTROLS PERTAINING TO YOUR BLOCK.











Garage Location

PRIVATE OPEN SPACE (POS) refer to SDHDC:

R39 for mid size blocks PRINCIPLE PRIVATE OPEN SPACE (PPOS)

refer to SDHDC R41 and Table 8

Services

Refer to Block Disclosure Plan for location of service access to this block. Proposed Fencing and Courtyard Walls to integrate service ties and meters

refer to EPSDD: Fences and Freestanding Walls Factsheet 2014

Construction and Finish

Inter-allotment fencing to be max 1.8m high timber paling fencing or lapped and capped timber paling fencing.

If Colorbond is used, the profile must be Neetascreen or a mini orb profile colour "Basalt". refer to Ginninderry Design Requirements

Optional - North Facing Blocks

Maximum height 1.5m | Minimum setback 0m (50%) and 0.8m (50%) refer to Fencing Controls Plan

Return Boundary Fencing to Building Line or Side Fence

BLOCK INFORMATION



 REV
 DRAWN
 CHECKED
 APPROVED

 A
 AK
 AK
 CS

 B
 AK
 AK
 CS
 DO NOT SCALE OFF DRAWINGS. DIMENSIONS ARE IN METRES. DO NOT SALE OFF DAMININGS, DIMENSIONS ARE IN METICAS. INFORMATION ON THIS PLAN IS DUE SOED AS A GUIDE ONLY FOR THE DESIGN PROCESS. APPROVED EDP PLANNING CONTROLS NEED TO BE CHECKED AGAINST PRECINCT CODE UPLIFTS. PLANS TO BE READ IN CONJUNCTION WITH THE TERRITORY PLAN ALONG WITH BLOCK DISCLOSURE PLANS AND THE GININDERRY DESIGN REQUIREMENTS TO CONFIRM ALL CURRENT CONTROLS PERTAINING TO YOUR BLOCK.



