

# Flexi-living Series

2022 Release



**Strathnairn**

Ginninderry

Purchasers	
Name:	
Address:	
Package details	
Block:	Section: Type: Alto 2
Colour Schemes	Please tick and initial colour selection
<input type="checkbox"/>	Willow
<input type="checkbox"/>	Forest
Appliances Package	Please check and initial appliance package selection
<input type="checkbox"/>	Appliances package 1 – Bosch with Baumatic induction cooktop
<input type="checkbox"/>	Appliances package 2 – Ariston with Baumatic induction cooktop



General Items	
General items	<ul style="list-style-type: none"><li>• Connection to all services – electricity, water, sewerage, SW and NBN.</li><li>• Termite protection to relevant Australia Standards and BCA.</li><li>• In the event of specified products not being available or discontinued, all replacement products will be of equivalent quality.</li></ul>
DLP maintenance period	<ul style="list-style-type: none"><li>• 90 days defects period.</li><li>• 10-year structural guarantee.</li></ul>
Energy rating	Minimum 6-star NatHERS.
Cleaning	Builders clean at completion and hand over.

External Works	
Soft landscaping	As per floor plans.
Fencing	As per floor plans.
Retaining wall	As required.
Clothesline	“Daytek” Mini slim, Ground or Wall mounted as required.
Letter box	Aluminum letter box to be integrated within fencing or courtyard walls.
External tap	1 to the front minimum.
Paving	Refer to landscaping plans.
Water meter boxes	Water Meter Boxes where required.

External Elements	
Roofing	Metal profile roofing. Ceiling Insulation R5.0. Anticon Blanket under roof.
Gutters and downpipes	Colorbond fascia, gutters and downpipes pre-finished metal as per external finish schedule.
Eaves	Painted fiber cement.
Windows and doors	Window and door sizes configurations as per elevations. Ground floor windows and sliding door heads to be 2400mm high.  Powder coated aluminum frames with fly screens to all openable windows and sliding doors. All glazing double glazed.



Windows and doors	Entry door- Newinton Draft seals to perimeter Sliding doors – 2400mm high to ground floor powder coated aluminum with fly screens and dead lock function with top fitted deadbolt.
Window hoods	Powder coated aluminum window hoods where nominated on plans and elevations, colour as per external schedule.
External walls face bricks	Refer to external finishes schedule.
External walls cladding	Refer to external finishes schedule.
Floors	Concrete slab to ground floor and joists to upper floor, R4.0 insulation to all joists where exposed/open.
Garages	Carports structures when nominated on plans are similar to “Straco”, as made by garage manufacturer, colour as per external schedule.
Garage doors	1 panel lift door, 2 handsets & 1 wall mount control
External door furniture	Entry Door – Lockwood Nexion Vision. Lever Handle with deadlock function.
Locks	Windows – key locks with all keyed alike. Sliding doors – key locks with all keyed alike.

Internal Elements	
Internal walls	10mm plasterboard.
Architrave & Skirting	Primed DAR 66 x 11.
Ceiling height	In general, 2700mm to primary living areas with square set ceilings and 2400mm to first floor with square set ceilings.
Internal doors	Redicoat paintable 2040mm high.
Internal doors furniture	Lockwood Velocity with privacy latches to bathrooms and ensuite, chrome plated.
Doors from house to garage	Lockwood Paradigm Deadbolt.
WIR / BIR Robe doors	Chrome hanging rail and 1 set of 4 melamine shelving and 1 over head shelf. Bi-pass Doors, 1vinyl faced and 1 mirror door per robe.
Linen Cupboard	4 adjustable melamine shelving with fixed top shelf.



Entry, living, kitchen, store	Laminated flooring as per colour schemes.				
Bathroom & ensuite	Tiles as per colour schemes. Wall tiles per colour schemes. Feature wall tiles per colour schemes.				
Bedrooms, hallways & stairs	Carpet per colour schemes.				
Rumpus	Carpet per colour schemes.				
Laundry	Tiles as per colour schemes. Wall tiles as per colour schemes. Splashback as per colour schemes.				
Kitchen splashback	Kit Kat White.				
Kitchen benchtop	Caesarstone as per colour schemes.				
Cupboard underbench & tall and overhead cupboard	Laminex as per colour schemes.				
Handles where applicable	Kethy Oak.flof				
Bin in Joinery	Hafele, Double Waste Bin.				
Kitchen Sink	Abey stainless steel flush mounted.				
Kitchen tap	Parisi Envy Arch Sink Mixer.				
Appliances package 1	<table><tr><td>Oven - Bosch 60cm series</td></tr><tr><td>Rangehood - Bosch 60cm Series</td></tr><tr><td>Cooktop – Baumatic 60cm induction cooktop</td></tr><tr><td>Dishwasher - Bosch 60cm freestanding</td></tr></table>	Oven - Bosch 60cm series	Rangehood - Bosch 60cm Series	Cooktop – Baumatic 60cm induction cooktop	Dishwasher - Bosch 60cm freestanding
Oven - Bosch 60cm series					
Rangehood - Bosch 60cm Series					
Cooktop – Baumatic 60cm induction cooktop					
Dishwasher - Bosch 60cm freestanding					
Appliances package 2	<table><tr><td>Oven - Ariston 60cm</td></tr><tr><td>Rangehood - Ariston 60cm Slide out</td></tr><tr><td>Cooktop - Baumatic 60cm induction cooktop</td></tr><tr><td>Dishwasher - Ariston 60cm freestanding</td></tr></table>	Oven - Ariston 60cm	Rangehood - Ariston 60cm Slide out	Cooktop - Baumatic 60cm induction cooktop	Dishwasher - Ariston 60cm freestanding
Oven - Ariston 60cm					
Rangehood - Ariston 60cm Slide out					
Cooktop - Baumatic 60cm induction cooktop					
Dishwasher - Ariston 60cm freestanding					



Bathroom and ensuite	Shower/bath mixer	Parisi Envy
	Shower head & rail	Parisi Envy
	Shower screen	Cesana Essential Pivot door or corner sliding where required.
	Vanity	Forme Mont Albert wall hung vanity Polymarble white top, walnut cabinets.  750mm/900mm/1200mm to suit size of bathroom and ensuite
	Vanity tap	Parisi -Envy
	Vanity mirror	Duraplex Bevelled Edge Mirror,750mm high.  750mm/900mm/1200mm long, width to match vanity length.
	Robe hook (1 per ensuite)	Parisi Envy Robe Hook
	Double towel rail (1 per bathroom & 1 per ensuite)	Parisi Envy Double towel rail 600mm or 800mm
	Toilet	Clark white.
	Toilet roll holder	Parisi PPRH Toilet Roll Holder
Laundry tub	Clark Eureka 45 litre or 35 litre compact tub and cabinet	
Laundry tap	Parisi Envy Arch Sink Mixer	
Other	Dryer board	

Electrical Appliances	
Hot Water System	Sanden Eco Hot Water Heat Pump 160L Tank with separate compressor unit (split system) or equivalent.
Heating and cooling	Toshiba Multi Head, 1 to the living area 1 to the master bedroom
PV panel, inverter and HEMS	Minimum 2 KW panels with inverter and Home Energy Management System.

Electrical Schedule	As per electrical plan and electrical schedule
All double GPOs Unless noted	Entry – 1 Living / dining – 3 Kitchen above benchtop – 3 Bedrooms – 2



All double GPOs Unless noted	Bathroom – 1 Ensuite – 1 Top of stair – 1 Laundry – 2 Garage – 1 Rumpus – 2 External WP GPO – 1 Power requirement to panel lift door & roller door ceiling mounted. Allow for all relevant GPO requirements for heating, cooling, hot water system and NBN.
Kitchen	Single GPO provisions for dishwasher, microwave, fridge, rangehood. Electric oven and induction cooktop hard wired.
Lighting	LED down lights to all living areas and kitchen. LED downlights to be equal to Deta 7W white Dimmable LED with IC Abutted and covered rating. Bedrooms and laundry – batten with 1 light point including fitting Bathroom – combine heat, light and fan equal to tastic Internal laundry – exhaust fan with light External lighting – provide minimum 1 lighting point for each external entry area including entry porch, driveway and pergola area
Communications	Provide phone, TV and data points with double GPO to the following areas: 1 TV, 1 Data, 1 Phone to living area and master bedroom. Provide Splitter box in Attic with all associated wiring and connections. Aerials mounted within roof space.

# Flexi-living Series

2022 Release



**Strathnairn**

Ginninderry

Purchasers	
Name:	
Address:	
Package details	
Block:	Section: Type: Renew
Colour Schemes	Please tick and initial colour selection
<input type="checkbox"/>	Willow
<input type="checkbox"/>	Forest
Appliances Package	Please check and initial appliance package selection
<input type="checkbox"/>	Appliances package 1 – Bosch with Baumatic induction cooktop
<input type="checkbox"/>	Appliances package 2 – Ariston with Baumatic induction cooktop



General Items	
General items	<ul style="list-style-type: none"><li>• Connection to all services – electricity, water, sewerage, SW and NBN.</li><li>• Termite protection to relevant Australia Standards and BCA.</li><li>• In the event of specified products not being available or discontinued, all replacement products will be of equivalent quality.</li></ul>
DLP maintenance period	<ul style="list-style-type: none"><li>• 90 days defects period</li><li>• 10-year structural guarantee.</li></ul>
Energy rating	Minimum 6-star NatHERS.
Cleaning	Builders clean at completion and hand over.

External Works	
Soft landscaping	As per floor plans.
Fencing	As per floor plans.
Retaining wall	As required
Clothesline	“Daytek” Mini slim, Ground or Wall mounted as required.
Letter box	Aluminum letter box to be integrated within fencing or courtyard walls.
External tap	1 to the front minimum.
Paving	Refer to landscaping plans.
Water meter boxes	Water Meter Boxes where required

External Elements	
Roofing	Metal profile roofing Ceiling Insulation R5.0. Anticon Blanket under roof.
Gutters and downpipes	Colorbond fascia, gutters and downpipes pre-finished metal as per external finish schedule.
Eaves	Painted fiber cement.
Windows and doors	Window and door sizes configurations as per elevations. Ground floor windows and sliding door heads to be 2400mm high.  Powder coated aluminum frames with fly screens to all openable windows and sliding doors. All glazing double glazed.





Windows and doors	Entry door- Newinton Draft seals to perimeter Sliding doors – 2400mm high to ground floor powder coated aluminum with fly screens and dead lock function with top fitted deadbolt.
Window hoods	Powder coated aluminum window hoods where nominated on plans and elevations, colour as per external schedule.
External walls face bricks	Refer to external finishes schedule.
External walls cladding	Refer to external finishes schedule.
Floors	Concrete slab to ground floor and joists to upper floor, R4.0 insulation to all joists where exposed/open.
Carport	Carports structures when nominated on plans are similar to “Straco”, colour as per external schedule.
External door furniture	Entry Door – Lockwood Nexion Vision. Lever Handle with deadlock function.
Locks	Windows – key locks with all keyed alike. Sliding doors – key locks with all keyed alike.

Internal Elements	
Internal walls	10mm plasterboard
Architrave & Skirting	Primed DAR 66 x 11.
Ceiling height	In general, 2700mm to primary living areas with square set ceilings and 2400mm to first floor with square set ceilings.
Internal doors	Redicoat paintable 2040mm high
Internal doors furniture	Lockwood Velocity with privacy latches to bathrooms, chrome plated.
WIR / BIR Robe doors	Chrome hanging rail and 1 set of 4 melamine shelving and 1 over head shelf. Bi-pass Doors, 1 vinyl faced and 1 mirror door per robe.
Linen Cupboard	4 adjustable melamine shelving with fixed top shelf.
Entry, living, kitchen	Laminated flooring as per colour schemes
Bathroom	Tiles as per colour schemes Wall tiles per colour schemes Feature wall tiles per colour schemes



Bedrooms, hallways & stairs	Carpet per colour schemes													
Laundry	Tiles as per colour schemes Wall tiles as per colour schemes Splashback as per colour schemes													
Kitchen splashback	Kit Kat White													
Kitchen benchtop	Caesarstone as per colour schemes													
Cupboard underbench & tall and overhead cupboard	Laminex as per colour schemes													
Handles where applicable	Kethy Oak.													
Bin in Joinery	Hafele, Double Waste Bin													
Kitchen Sink	Abey stainless steel flush mounted													
Kitchen tap	Parisi Envy Arch Sink Mixer													
Appliances package 1	<table><tr><td>Oven - Bosch 60cm series</td></tr><tr><td>Rangehood - Bosch 60cm Series</td></tr><tr><td>Cooktop – Baumatic 60cm induction cooktop</td></tr><tr><td>Dishwasher - Bosch 60cm freestanding</td></tr></table>		Oven - Bosch 60cm series	Rangehood - Bosch 60cm Series	Cooktop – Baumatic 60cm induction cooktop	Dishwasher - Bosch 60cm freestanding								
Oven - Bosch 60cm series														
Rangehood - Bosch 60cm Series														
Cooktop – Baumatic 60cm induction cooktop														
Dishwasher - Bosch 60cm freestanding														
Appliances package 2	<table><tr><td>Oven - Ariston 60cm</td></tr><tr><td>Rangehood - Ariston 60cm Slide out</td></tr><tr><td>Cooktop - Baumatic 60cm induction cooktop</td></tr><tr><td>Dishwasher - Ariston 60cm freestanding</td></tr></table>		Oven - Ariston 60cm	Rangehood - Ariston 60cm Slide out	Cooktop - Baumatic 60cm induction cooktop	Dishwasher - Ariston 60cm freestanding								
Oven - Ariston 60cm														
Rangehood - Ariston 60cm Slide out														
Cooktop - Baumatic 60cm induction cooktop														
Dishwasher - Ariston 60cm freestanding														
Bathroom	<table><tr><td>Shower/bath mixer</td><td>Parisi Envy</td></tr><tr><td>Shower head &amp; rail</td><td>Parisi Envy</td></tr><tr><td>Shower screen</td><td>Cesana Essential Pivot door or corner sliding where required.</td></tr><tr><td>Vanity</td><td>Forme Mont Albert wall hung vanity Polymarble white top, walnut cabinets. 750mm/900mm/1200mm to suit size of bathroom and ensuite</td></tr><tr><td>Vanity tap</td><td>Parisi -Envy</td></tr><tr><td>Vanity mirror</td><td>Duraplex Bevelled Edge Mirror,750mm high.  750mm/900mm/1200mm long, width to match vanity length.</td></tr></table>		Shower/bath mixer	Parisi Envy	Shower head & rail	Parisi Envy	Shower screen	Cesana Essential Pivot door or corner sliding where required.	Vanity	Forme Mont Albert wall hung vanity Polymarble white top, walnut cabinets. 750mm/900mm/1200mm to suit size of bathroom and ensuite	Vanity tap	Parisi -Envy	Vanity mirror	Duraplex Bevelled Edge Mirror,750mm high.  750mm/900mm/1200mm long, width to match vanity length.
Shower/bath mixer	Parisi Envy													
Shower head & rail	Parisi Envy													
Shower screen	Cesana Essential Pivot door or corner sliding where required.													
Vanity	Forme Mont Albert wall hung vanity Polymarble white top, walnut cabinets. 750mm/900mm/1200mm to suit size of bathroom and ensuite													
Vanity tap	Parisi -Envy													
Vanity mirror	Duraplex Bevelled Edge Mirror,750mm high.  750mm/900mm/1200mm long, width to match vanity length.													



Bathroom	Robe hook (1 per ensuite)	Parisi Envy Robe Hook
	Double towel rail (1 per bathroom & 1 per ensuite)	Parisi Envy Double towel rail 600mm or 800mm
	Toilet	Clark white.
	Toilet roll holder	Parisi PPRH Toilet Roll Holder
Laundry tub	Clark Eureka 45 litre or 35 litre compact tub and cabinet	
Laundry tap	Parisi Envy Arch Sink Mixer	
Other	Dryer board	

Electrical Appliances	
Hot Water Systems	Sanden Eco Hot Water Heat Pump 160L Tank with separate compressor unit (split system) or equivalent.
Heating and cooling	Toshiba Multi Head, 1 to the living area 1 to the master bedroom
PV panel, inverter and HEMS	Minimum 2 KW panels with inverter and Home Energy Management System.

Electrical Schedule	As per electrical plan and electrical schedule
All double GPOs Unless noted	Entry – 1 Living / dining – 3 Kitchen above benchtop – 3 Bedrooms – 2 Bathroom – 1 Top of stair – 1 Laundry – 2 Carport – 1 External WP GPO – 1 Power requirement to panel lift door & roller door ceiling mounted. Allow for all relevant GPO requirements for heating, cooling, hot water system and NBN.
Kitchen	Single GPO provisions for dishwasher, microwave, fridge, rangehood. Electric oven and induction cooktop hard wired.
Lighting	LED down lights to all living areas and kitchen. LED downlights to be equal to Deta 7W white Dimmable LED with IC Abutted and covered rating. Bedrooms and laundry – batten with 1 light point including fitting Bathroom – combine heat, light and fan equal to tastic



Lighting	Laundry – exhaust fan with light External lighting – provide minimum 1 lighting point for each external entry area including entry porch, driveway and pergola area
Communications	Provide phone, TV and data points with double GPO to the following areas: 1 TV, 1 Data, 1 Phone to living area and master bedroom. Provide Splitter box in Attic with all associated wiring and connections. Aerials mounted within roof space.

# Flexi-living Series

2022 Release



**Strathnairn**

Ginninderry

Purchasers	
Name:	
Address:	
Package details	
Block:	Section: Type: Alto 2 Corner
Colour Schemes	Please tick and initial colour selection
<input type="checkbox"/>	Willow
<input type="checkbox"/>	Forest
Appliances Package	Please check and initial appliance package selection
<input type="checkbox"/>	Appliances package 1 – Bosch with Baumatic induction cooktop
<input type="checkbox"/>	Appliances package 2 – Ariston with Baumatic induction cooktop

sales@ginninderry.com | 1800 316 900

**ginninderry.com**



**Suburban Land**  
Agency





General Items	
General items	<ul style="list-style-type: none"><li>• Connection to all services – electricity, water, sewerage, SW and NBN.</li><li>• Termite protection to relevant Australia Standards and BCA.</li><li>• In the event of specified products not being available or discontinued, all replacement products will be of equivalent quality.</li></ul>
DLP maintenance period	<ul style="list-style-type: none"><li>• 90 days defects period</li><li>• 10-year structural guarantee.</li></ul>
Energy rating	Minimum 6-star NatHERS.
Cleaning	Builders clean at completion and hand over.

External Works	
Soft landscaping	As per floor plans.
Fencing	As per floor plans.
Retaining wall	As required
Clothesline	“Daytek” Mini slim, Ground or Wall mounted as required.
Letter box	Aluminum letter box to be integrated within fencing or courtyard walls.
External tap	1 to the front minimum.
Paving	Refer to landscaping plans.
Water meter boxes	Water Meter Boxes where required

External Elements	
Roofing	Metal profile roofing Ceiling Insulation R5.0. Anticon Blanket under roof.
Gutters and downpipes	Colorbond fascia, gutters and downpipes pre-finished metal as per external finish schedule.
Eaves	Painted fiber cement.
Windows and doors	Window and door sizes configurations as per elevations. Ground floor windows and sliding door heads to be 2400mm high.  Powder coated aluminum frames with fly screens to all openable windows and sliding doors. All glazing double glazed.



Windows and doors	Entry door- Newinton Draft seals to perimeter Sliding doors – 2400mm high to ground floor powder coated aluminium with fly screens and dead lock function with top fitted deabolt.
Window hoods	Powder coated aluminium window hoods where nominated on plans and elevations, colour as per external schedule.
External walls face bricks	Refer to external finishes schedule.
External walls cladding	Refer to external finishes schedule.
Floors	Concrete slab to ground floor and joists to upper floor, R4.0 insulation to all joists where exposed/open.
Carport	Carports structures when nominated on plans are similar to “Straco”, colour as per external schedule.
External door furniture	Entry Door – Lockwood Nexion Vision. Lever Handle with deadlock function.
Locks	Windows – key locks with all keyed alike. Sliding doors – key locks with all keyed alike.

Internal Elements	
Internal walls	10mm plasterboard
Architrave & Skirting	Primed DAR 66 x 11.
Ceiling height	In general, 2700mm to primary living areas with square set ceilings and 2400mm to first floor with square set ceilings.
Internal doors	Redicoat paintable 2040mm high
Internal doors furniture	Lockwood Velocity with privacy latches to bathrooms chrome plated.
Bedroom Robe doors	Chrome hanging rail and 1 set of 4 melamine shelving and 1 over head shelf. Bi-pass Doors, 1vinyl faced and 1 mirror door per robe.
Linen Cupboard	4 adjustable melamine shelving with fixed top shelf.
Entry, living, kitchen, coat	Laminated flooring as per colour schemes
Bathroom	Tiles as per colour schemes Wall tiles per colour schemes



	Feature wall tiles per colour schemes									
Bedrooms, hallways & stairs	Carpet per colour schemes									
Study	Carpet per colour schemes									
Laundry	Tiles as per colour schemes Wall tiles as per colour schemes Splashback as per colour schemes									
Kitchen splashback	Kit Kat White									
Kitchen benchtop	Caesarstone as per colour schemes									
Cupboard underbench & tall and overhead cupboard	Laminex as per colour schemes									
Handles where applicable	Kethy Oak.									
Bin in Joinery	Hafele, Double Waste Bin									
Kitchen Sink	Abey stainless steel flush mounted									
Kitchen tap	Parisi Envy Arch Sink Mixer									
Appliances package 1	<table><tr><td>Oven - Bosch 60cm series</td></tr><tr><td>Rangehood - Bosch 60cm Series</td></tr><tr><td>Cooktop – Baumatic 60cm induction cooktop</td></tr><tr><td>Dishwasher - Bosch 60cm freestanding</td></tr></table>		Oven - Bosch 60cm series	Rangehood - Bosch 60cm Series	Cooktop – Baumatic 60cm induction cooktop	Dishwasher - Bosch 60cm freestanding				
Oven - Bosch 60cm series										
Rangehood - Bosch 60cm Series										
Cooktop – Baumatic 60cm induction cooktop										
Dishwasher - Bosch 60cm freestanding										
Appliances package 2	<table><tr><td>Oven - Ariston 60cm</td></tr><tr><td>Rangehood - Ariston 60cm Slide out</td></tr><tr><td>Cooktop - Baumatic 60cm induction cooktop</td></tr><tr><td>Dishwasher - Ariston 60cm freestanding</td></tr></table>		Oven - Ariston 60cm	Rangehood - Ariston 60cm Slide out	Cooktop - Baumatic 60cm induction cooktop	Dishwasher - Ariston 60cm freestanding				
Oven - Ariston 60cm										
Rangehood - Ariston 60cm Slide out										
Cooktop - Baumatic 60cm induction cooktop										
Dishwasher - Ariston 60cm freestanding										
Bathroom	<table><tr><td>Shower/bath mixer</td><td>Parisi Envy</td></tr><tr><td>Shower head &amp; rail</td><td>Parisi Envy</td></tr><tr><td>Shower screen</td><td>Cesana Essential Pivot door or corner sliding where required.</td></tr><tr><td>Vanity</td><td>Forme Mont Albert wall hung vanity</td></tr></table>		Shower/bath mixer	Parisi Envy	Shower head & rail	Parisi Envy	Shower screen	Cesana Essential Pivot door or corner sliding where required.	Vanity	Forme Mont Albert wall hung vanity
Shower/bath mixer	Parisi Envy									
Shower head & rail	Parisi Envy									
Shower screen	Cesana Essential Pivot door or corner sliding where required.									
Vanity	Forme Mont Albert wall hung vanity									





Bathroom		Polymarble white top, walnut cabinets. 750mm/900mm/1200mm to suit size of bathroom and ensuite
	Vanity tap	Parisi -Envy
	Vanity mirror	Duraplex Bevelled Edge Mirror,750mm high. 750mm/900mm/1200mm long, width to match vanity length.
	Robe hook (1 per ensuite)	Parisi Envy Robe Hook
	Double towel rail (1 per bathroom & 1 per ensuite)	Parisi Envy Double towel rail 600mm or 800mm
	Toilet	Clark white.
	Toilet roll holder	Parisi PPRH Toilet Roll Holder
Laundry tub	Clark Eureka 45 litre or 35 litre compact tub and cabinet	
Laundry tap	Parisi Envy Arch Sink Mixer	
Other	Dryer board	

Electrical Appliances	
Hot Water System	Sanden Eco Hot Water Heat Pump 160L Tank with separate compressor unit (split system) or equivalent.
Heating and cooling	Toshiba Multi Head, 1 to the living area 1 to the master bedroom
PV panel, inverter and HEMS	Minimum 2 KW panels with inverter and Home Energy Management System.

Electrical Schedule	As per electrical plan and electrical schedule
All double GPOs Unless noted	Entry – 1 Living / dining – 3 Kitchen above benchtop – 3 Bedrooms – 2 Bathroom – 1 Top of stair – 1
All double GPOs Unless noted	Laundry – 2 Carport – 1 External WP GPO – 1 Power requirement to panel lift door & roller door ceiling mounted. Allow for all relevant GPO requirements for heating, cooling, hot water system and NBN.



Kitchen	Single GPO provisions for dishwasher, microwave, fridge, rangehood. Electric oven and induction cooktop hard wired.
Lighting	LED down lights to all living areas and kitchen. LED downlights to be equal to Deta 7W white Dimmable LED with IC Abutted and covered rating. Bedrooms and laundry – batten with 1 light point including fitting Bathroom – combine heat, light and fan equal to tastic Laundry – exhaust fan with light External lighting – provide minimum 1 lighting point for each external entry area including entry porch, driveway and pergola area
Communications	Provide phone, TV and data points with double GPO to the following areas: 1 TV, 1 Data, 1 Phone to living area and master bedroom. Provide Splitter box in Attic with all associated wiring and connections. Aerials mounted within roof space.

# Flexi-living Series 2021 Release

## Internal Finishes Options

### Forest Internal Finishes Scheme



### Willow Internal Finishes Scheme



# Flexi-living Series

## 2021 Release

## Internal Fixtures

Internal  
Fixtures

