





Boundary Defined by SDHDC



Part of Integrated Development Parcel by Planning Controls Plan

INDICATIVE BUILDING FOOTPRINTS

(based on min. building setbacks only This does not take into account easements or building envelopes)



Lower Floor Level



Upper Floor Level

DATE



1.5m or nil setback for garage for mide size blocks

refer to SDHDC Rule 15, Table 6B refer to the Planning Controls Plan

Strathnairn Stage 2 EDP refer to the Planning Controls Plan Lower floor level - external wall or unscreened element (Excluding Garages/Carports)

Upper floor level (front setbacks) - external wall or unscreened element Upper floor level (side setbacks) - external wall (screened)


Articulation Elements (Articulation Zone) refer to Planning Controls Plan

RI OCK INFORMATION


DLUCK INFUNIVIATIO		
STAGE	2A1	
ZONE	RZ 3	
SECTION	68	
BLOCK	5	
CLASSIFICATION	MID SIZE	
HOUSING TYPE	SINGLE DWELLIN	

REV DRAWN CHECKED APPROVED AK AK AK AK CS CS

DO NOT SCALE OFF DRAWINGS. DIMENSIONS ARE IN METRES INFORMATION ON THIS PLAN IS TO BE USED AS A GUIDE ONLY INFORMATION ON THIS PLAN IS TO BE USED AS A GUIDE ONLY. FOR THE DESIGN PROCESS. APPROVED EDP PLANNING CONTROLS NEED TO BE CHECKED AGAINST PRECINCT CODE UPLIFTS. PLANS TO BE READ IN CONJUNCTION WITH THE TERRITORY PLAN ALONG WITH BLOCK DISCLOSURE PLANS AND THE GINNINDERRY DESIGN REQUIREMENTS TO CONFIRM ALL CURRENT CONTROLS PERTAINING TO YOUR BLOCK.













Garage Location

PRIVATE OPEN SPACE (POS) refer to SDHDC: R39 for mid size blocks

PRINCIPLE PRIVATE OPEN SPACE (PPOS)

refer to SDHDC R41 and Table 8

Services

Refer to Block Disclosure Plan for location of service access to this block. Proposed Fencing and Courtyard Walls to integrate service ties and meters.

— - F —

Side, Rear and Rear Lane Boundaries

Maximum height 1.8m | Minimum setback 0m (100%) | **Not forward of building line** refer to EPSDD: Fences and Freestanding Walls Factsheet 2014

Construction and Finish

Inter-allotment fencing to be max 1.8m high timber paling fencing or lapped and capped timber paling fencing.

If Colorbond is used, the profile must be Neetascreen or a mini orb profile colour "Basalt". *refer to Ginninderry Design Requirements*

Mandatory Village/Green Link, Courtyard Walls and Fencing Maximum height: PPOS screen 1.5m | otherwise 1.2m

Minimum setback: 50% @ 0m & 50% @ 0.8m refer to Fencing Controls Plan



Return Boundary Fencing to Building Line or Side Fence

BLOCK INFORMATION

BLOCK INFORMATION	
STAGE	2A1
ZONE	RZ3
SECTION	68
BLOCK	5
CLASSIFICATION	MID SIZE
HOUSING TYPE	SINGLE DWELLING

REV DRAWN CHECKED APPROVED DATE A AK AK CS 03/05/20 B AK AK CS 02/10/20

DO NOT SCALE OFF DRAWINGS. DIMENSIONS ARE IN MÉTRÈS.
INFORMATION ON THIS PLAN IS TO BE USED AS A GUIDE ONLY
FOR THE DESIGN PROCESS. APPROVED EDP PLANNING
CONTROLS NEED TO BE CHECKED AGAINST PRECINCT CODE
UPLIFES, PLANS TO BE READ IN CONJUNCTION WITH THE
TERRITORY PLAN ALONG WITH BLOCK DISCLOSURE PLANS
AND THE GINNINDERRY DESIGN REQUIREMENTS TO CONFIRM
ALL CURRENT CONTROLS PERTAINING TO YOUR BLOCK.

