## Flexi-living Series 2023 Release



Purchasers		
Name:		
Address:		
Package details		
Block: 5	Section: 72 Type	: Canvas
Colour Schemes		
Colour selection	Willow	
Appliances Package		
Appliance package selection	Bosch with Baumatic induction cooktop	





General Items	
General items	<ul> <li>Connection to all services – electricity, water, sewerage, SW and NBN.</li> <li>Termite protection to relevant Australia Standards and BCA.</li> <li>In the event of specified products not being available or discontinued, all replacement products will be of equivalent quality.</li> </ul>
DLP maintenance period	<ul> <li>90 days defects period</li> <li>10-year structural guarantee.</li> </ul>
Energy rating	Minimum 6-star NatHERS.
Cleaning	Builders clean at completion and hand over.

External Works	
Soft landscaping	As per floor plans.
Fencing	As per floor plans.
Retaining wall	As required
Clothesline	"Daytek" Mini slim, Ground or Wall mounted as required.
Letter box	Aluminum letter box to be integrated within fencing or courtyard walls.
External tap	1 to the front minimum.
Paving	Refer to landscaping plans.
Water meter boxes	Water Meter Boxes where required

External Elements	
Roofing	Metal profile roofing Ceiling Insulation R5.0. Anticon Blanket under roof.
Gutters and downpipes	Colorbond fascia, gutters and downpipes pre-finished metal as per external finish schedule.
Eaves	Painted fiber cement.
Windows and doors	Window and door sizes configurations as per elevations. Ground floor windows and sliding door heads to be 2400mm high.
	Powder coated aluminum frames with fly screens to all openable windows and sliding doors. All glazing double glazed.







Windows and doors	Entry door- Newinton Draft seals to perimeter Sliding doors – 2400mm high to ground floor powder coated aluminum with fly screens and dead lock function with top fitted deadbolt.
Window hoods	Powder coated aluminum window hoods where nominated on plans and elevations, colour as per external schedule.
External walls face bricks	Refer to external finishes schedule.
External walls cladding	Refer to external finishes schedule.
Floors	Concrete slab to ground floor and joists to upper floor, R4.0 insulation to all joists where exposed/open.
Carport	Carports structures when nominated on plans are similar to "Straco", as made by garage manufacturer, colour as per external schedule.
External door furniture	Entry Door – Lockwood Nexion Vision. Lever Handle with deadlock function.
Locks	Windows – key locks with all keyed alike. Sliding doors – key locks with all keyed alike.

Internal Elements	
Internal walls	10mm plasterboard
Architrave & Skirting	EZITRIM Primed DAR 66 x 11.
Ceiling height	In general, 2700mm to primary living areas with square set ceilings and 2400mm to first floor with square set ceilings.
Internal doors	Redicoat paintable 2040mm high
Internal doors furniture	Lockwood Velocity with privacy latches to bathroom chrome plated.
BIR Robe doors	Chrome hanging rail and 1 set of 4 melamine shelving and 1 over head shelf. Bi-pass Doors, 1vinyl faced and 1 mirror door per robe.
Linen Cupboard	4 adjustable melamine shelving with fixed top shelf.
Entry, living, kitchen	Laminated flooring as per colour schemes
Bathroom	Tiles as per colour schemes Wall tiles per colour schemes







	Feature wall tiles per colour sche	emes	
Bedrooms	Carpet per colour schemes		
Laundry	Tiles as per colour schemes Wall tiles as per colour schemes Splashback as per colour schemes		
Kitchen splashback	Kit Kat White		
Kitchen benchtop	Caesarstone as per colour scher	nes	
Cupboard underbench & tall and overhead cupboard	Laminex as per colour schemes		
Handles where applicable	Kethy Oak.		
Bin in Joinery	Hafele, Double Waste Bin		
Kitchen Sink	Abey stainless steel flush mounted		
Kitchen tap	Parisi Envy Arch Sink Mixer		
Appliances package	Oven - Bosch 60cm series Rangehood - Bosch 60cm Serie Cooktop – Baumatic 60cm indu Dishwasher - Bosch 60cm frees	iction cooktop	
Bathroom	Shower/bath mixer Shower head & rail Shower screen	Parisi Envy Parisi Envy Cesana Essential Pivot door or corner sliding	g where required.
	Vanity	Forme Mont Albert wall hung vanity Polymarble white top, walnut cabinets. 750mm/900mm/1200mm to suit size of bathroom and ensuite	
	Vanity tap	Parisi -Envy	
	Vanity mirror	Duraplex Bevelled Edge Mirror,750mm high.  750mm/900mm/1200mm long, width to match vanity length.	
Robe hook (1 per ensuite) Parisi Envy Robe Hook			
Bathroom	Double towel rail (1 per bathroom & 1 per ensuite)	Parisi Envy Double towel	rail 600mm or 800mm







	Toilet Toilet roll holder	Clark white. Parisi PPRH Toilet Roll Holder
Laundry tub	Clark Eureka 45 litre or 35 litre compact tub and cabinet	
Laundry tap	Parisi Envy Arch Sink Mixer	
Other	Dryer board	

Electrical Appliances	
Hot Water System	Sanden Eco Hot Water Heat Pump 160L Tank with separate compressor unit (split system) or equivalent.
Heating and cooling	Toshiba Multi Head, 1 to the living area 1 to the master bedroom
PV panel, inverter and HEMS	Minimum 2 KW panels with inverter and Home Energy Management System.

Electrical Schedule	As per electrical plan and electrical schedule
All double GPOs Unless noted	Entry – 1 Living / dining – 3 Kitchen above benchtop – 3 Bedrooms – 2 Bathroom – 1 Laundry – 2 Garage – 1 External WP GPO – 1 Power requirement to panel lift door & roller door ceiling mounted. Allow for all relevant GPO requirements for heating, cooling, hot water system and NBN.
Kitchen	Single GPO provisions for dishwasher, microwave, fridge, rangehood.  Electric oven and induction cooktop hard wired.
Lighting	LED down lights to all living areas and kitchen.  LED downlights to be equal to Deta 7W white Dimmable LED with IC Abutted and covered rating.  Bedrooms and laundry – batten with 1 light point including fitting  Bathroom – combine heat, light and fan equal to tastic  Laundry – exhaust fan with light  External lighting – provide minimum 1 lighting point for each external entry area including entry porch, driveway and pergola area
Communications	Provide phone, TV and data points with double GPO to the following areas:







1 TV, 1 Data, 1 Phone to living area and master bedroom. Provide Splitter box in Attic with all associated wiring and connections. Aerials mounted within roof space.



